

Velocity model: Final vel mod
User: Hector
Project: Zechstein Structural Facies
Date: Friday, September 30 2022 14:33:34
From: TWT [ms]
To: Z [m]

Surface: Seabed						
Well	X-value	Y-value	Z-value	After Conversion	Residual (m)	Residual %
42/27a-1	318878.7	5991921.9	-51.23	-50.93	-0.3	0.59
49/24- 2	482361.7	5904148.1	-31.56	-30.18	-1.38	4.37
49/16-6	445369.2	5927040.4	-25.98	-22.56	-3.42	13.16
48/11-1	376781.3	5935717	-22.91	-22.94	0.03	0.13
49/20b-3	492057.6	5911549.7	-34.93	-30.4	-4.53	12.97
49/20-2	498085.2	5923282.6	-35.29	-30.02	-5.27	14.93
48/20-1	425101.3	5926539	-24.07	-22.53	-1.54	6.40
49/26- 2	442478.4	5887511.1	-34.43	-32.57	-1.86	5.40
48/25-1	428854.4	5904578.6	-33.34	-31.12	-2.22	6.66
50/21-1	501397.8	5905420.1	-29.28	-31.4	2.12	7.24
48/2b-3	390946.6	5976523.2	-35.29	-36.95	1.66	4.70
42/13-2	333162.9	6051835.6	-59.78	-59.41	-0.37	0.62
44/14-1	478453.4	6051134	-18.53	-16	-2.53	13.65
44/21a-5	436895.6	6011466.8	-40.1	-38.29	-1.8	4.49
42/26-1	310270.7	5993967.8	-48.51	-46.92	-1.59	3.28
48/12b-03	382955.5	5944205	-24.8	-22.69	-2.11	8.51
42/29-2	350726.1	5991347.2	-52.95	-50.75	-2.2	4.15
44/26c-6	435580	5984979.5	-75.17	-76.82	1.65	2.20
44/28-3	470492.3	5999739.3	-69.54	-60.79	-8.75	12.58
53/2-2	453926.9	5871041.9	-36.41	-36.04	-0.37	1.02
42/30-4A	366289.2	5994379.4	-42.96	-44.39	1.43	3.33
47/3-1	340176.5	5979643.6	-47.22	-42.46	-4.76	10.08
44/27-1	452041.5	5988949	-75.85	-71.73	-4.13	5.44
43/24-2	415669.5	6015967.7	-44.66	-42.43	-2.23	4.99
48/30-1	424725.3	5876595.5	-36.4	-35.65	-0.75	2.06
42/28a-6	333788.7	6004277.2	-55.83	-55.43	-0.4	0.72
47/15-1	362032.1	5942919.8	-21.76	-23.16	1.4	6.43
53/1b-12	439004.3	5861160.5	-29.28	-28	-1.28	4.37
44/17-1	457026.1	6025394.8	-31.21	-29.96	-1.24	3.97
41/5-1	298036.4	6083043.7	-89.41	-81.6	-7.81	8.74
48/14-2	418479.9	5939541.7	-25.53	-23.87	-1.66	6.50
Well 1	327096.7	5998006.6	-51.21	-50.93	-0.28	0.55
49/20b-4	496288.7	5910168.7	-32.51	-27.87	-4.63	14.24

Overall		
Residuals %	Average Residu	Average Residual %
Sea bed	2.74	7.49
Base Tert	11.15	4.46
Base cret	32.42	5.23
Base Jur	60.29	5.99
Top Zech	62.32	3.48
Base ZECH	56.72	2.11

	.= Under 5%
	.= Under 10%
	.= Over 10%

44/19-2	476238.7	6036564.7	-25.02	-21.25	-3.77	15.07
48/6-10	371820.1	5955995.5	-30.17	-28.82	-1.36	4.51
49/16-5	435705.4	5923981.1	-26.14	-28.66	2.52	9.64
44/18-1	469401.1	6033515.3	-30.21	-16.92	-13.29	43.99
49/2-3	459799.1	5973172.9	-41.59	-36.7	-4.89	11.76
49/25a-5	491337.2	5898385	-29.72	-31.37	1.64	5.52
44/22-5	458022.6	6010045.4	-38.23	-33.97	-4.26	11.14
44/21-1	443617.6	6004238.9	-37.85	-36.16	-1.69	4.46
44/27-2	456102.7	5991488.5	-73.59	-66.32	-7.28	9.89
49/19-3	476807.5	5915891.7	-33.9	-29.03	-4.86	14.34
47/4a-7	344179.2	5977933.1	-41.16	-40.11	-1.06	2.58
42/28b-5	339610.8	5998919.2	-54.13	-49.2	-4.93	9.11
48/23-2	405931.9	5896277.7	-19.7	-18.91	-0.79	4.01
49/9-1	482834.7	5955006.5	-34.23	-34.78	0.55	1.61
49/24-12	480190.2	5893136.8	-37.16	-31.84	-5.31	14.29
49/17-4	448129.3	5926811.2	-26.94	-25.2	-1.74	6.46
44/22b-8	457022.1	6005436	-35.58	-34.68	-0.9	2.53
49/14a-2	480029	5929304.4	-31.67	-27.82	-3.85	12.16
48/3-2	407776.2	5968687.8	-34.39	-30.95	-3.44	10.00
48/30-6	421598.4	5879653.4	-38.08	-37.18	-0.9	2.36
48/7-1	382510.7	5955569.9	-28.33	-29.53	1.2	4.24
49/19-1	483744.8	5910988.1	-35.29	-30.23	-5.06	14.34
48/11-2	373775	5931712	-17.41	-16.42	-0.99	5.69
49/19-7	481251	5919670.2	-35.29	-29.05	-6.24	17.68
48/17a-9	390430.8	5918848.8	-21.17	-20.34	-0.83	3.92
42/13-4	337017.6	6050292.5	-62.41	-60.76	-1.65	2.64
49/8-1	462643.2	5950556	-30.31	-26.58	-3.72	12.27
43/17-2	392107.5	6027463.1	-40.46	-39.57	-0.9	2.22
Surface: Base Cenozoic						
Well	X-value	Y-value	Z-value	After Conversion	Diff after	
44/28-3	470493.2	5999738.1	-947.78	-907.01	-40.77	4.30
44/27-1	452021.6	5988955.2	-1284.4	-1286.76	2.36	0.18
48/3-2	407775.1	5968688.3	-115.42	-110.14	-5.28	4.57
42/28b-5	339610.8	5998919.2	-63.24	-51.42	-11.82	18.69
49/16-6	445369.2	5927040.4	-139.24	-123.55	-15.69	11.27
48/11-2	373775	5931712	-17.51	-17.79	0.28	1.60
49/20-2	498083.5	5923278.6	-773.38	-775.59	2.21	0.29
44/27-2	456095.7	5991517.1	-1298.2	-1300.68	2.52	0.19
42/30-4A	366289.2	5994379.4	-50.43	-47.46	-2.96	5.87
47/4a-7	344179.2	5977933.1	-41.16	-41.78	0.62	1.51
44/22b-8	457019.6	6005426	-510.19	-507.71	-2.48	0.49
47/15-1	362032.1	5942919.8	-21.76	-24.04	2.28	10.48
49/20b-3	492056.9	5911543.1	-799.36	-802.73	3.37	0.42
49/19-1	483744.6	5910986.6	-465.68	-424.07	-41.61	8.94
44/26c-6	435580.4	5984981.8	-659.1	-651.4	-7.7	1.17

42/26-1	310270.7	5993967.8	-48.51	-49.23	0.72	1.48
48/25-1	428854.4	5904578.6	-78.36	-78.78	0.42	0.54
48/11-1	376781.3	5935717	-22.91	-23.47	0.56	2.44
42/27a-1	318878.7	5991921.9	-51.23	-53.51	2.28	4.45
48/17a-9	390430.8	5918848.8	-21.17	-21.42	0.25	1.18
41/5-1	298036.4	6083043.7	-89.41	-85.06	-4.35	4.87
49/20b-4	496288.7	5910168.7	-756.32	-765.88	9.56	1.26
44/18-1	469401.3	6033513.7	-1169.5	-1170.8	1.33	0.11
53/1b-12	439004.4	5861160.5	-171.36	-176.04	4.68	2.73
	327096.7	5998006.6	-52.94	-53.59	0.65	1.23
43/17-2	392107.5	6027463.1	-105.39	-114.67	9.28	8.81
44/21-1	443617.6	6004238.9	-307.48	-329.76	22.28	7.25
50/21-1	501398.1	5905420	-731.21	-752.17	20.95	2.87
48/23-2	405931.9	5896277.7	-19.7	-20.08	0.38	1.93
49/25a-5	491337.2	5898385	-710.71	-718.87	8.16	1.15
49/17-4	448129.3	5926812.9	-153.66	-140.18	-13.49	8.78
49/14a-2	480036.3	5929310.5	-931.91	-813.43	-118.48	12.71
48/6-10	371820.1	5955995.5	-31.24	-30.14	-1.1	3.52
48/12b-03	382955.5	5944205	-24.8	-23.71	-1.09	4.40
49/24- 2	482361.7	5904148.1	-655.67	-668.19	12.51	1.91
49/19-3	476807.3	5915897.4	-394.59	-372.59	-22	5.58
49/19-7	481251	5919670.2	-540.81	-515.98	-24.83	4.59
53/2-2	453929.5	5871041.9	-217.74	-217.22	-0.52	0.24
44/19-2	476239.7	6036565.3	-674.9	-677.82	2.92	0.43
49/26- 2	442478.5	5887510.8	-81.44	-82.69	1.25	1.53
47/3-1	340176.5	5979643.6	-47.22	-45.16	-2.05	4.34
44/22-5	458032.1	6010059.7	-563.56	-561.58	-1.98	0.35
49/8-1	462643.2	5950556	-297.48	-308	10.52	3.54
42/28a-6	333788.7	6004277.2	-57.52	-58.96	1.45	2.52
48/30-6	421598.4	5879653.4	-38.08	-38.87	0.79	2.07
44/14-1	478460.6	6051137.9	-926.95	-985.58	58.63	6.33
44/17-1	457024.6	6025393.6	-589.29	-595.07	5.78	0.98
42/29-2	350726.1	5991347.2	-57.58	-53.01	-4.57	7.94
48/30-1	424725.3	5876595.5	-36.4	-36.97	0.58	1.59
49/2-3	459799.2	5973172	-209.37	-194.56	-14.81	7.07
48/2b-3	390947	5976523.3	-60.36	-38.78	-21.58	35.75
48/20-1	425101.3	5926539	-24.07	-23.6	-0.48	1.99
48/7-1	382510.7	5955569.9	-28.33	-30.33	2.01	7.09
43/24-2	415669.7	6015967.9	-247.89	-280.08	32.19	12.99
49/9-1	482831.2	5955008.2	-740.7	-779.68	38.98	5.26
49/24-12	480190.2	5893136.8	-618.8	-623.4	4.59	0.74
49/16-5	435705.4	5923981.1	-528.15	-502.51	-25.64	4.85
44/21a-5	436896.2	6011467.6	-353.88	-359.14	5.26	1.49
48/14-2	418479.9	5939541.7	-25.53	-25.6	0.06	0.24
Surface: Base Chalk						

Well	X-value	Y-value	Z-value	After Conversion	Residual (m)	
44/28-3	470491.7	5999741.9	-1709.4	-1596.15	-113.27	6.63
44/27-1	451986.2	5988973.8	-2105.3	-2104.16	-1.11	0.05
48/3-2	407773.1	5968690	-240.21	-207.5	-32.71	13.62
42/28b-5	339611.9	5998920.3	-496.27	-324.78	-171.48	34.55
49/16-6	445369.2	5927040.4	-165.76	-147.74	-18.02	10.87
48/11-2	373777.2	5931710.5	-683.02	-643.82	-39.21	5.74
49/20-2	497802.6	5923013.9	-1891.9	-1850.78	-41.07	2.17
44/27-2	456074.3	5991560.4	-2070.6	-2089.62	19.03	0.92
42/30-4A	366289.2	5994379.4	-50.43	-47.47	-2.96	5.87
47/4a-7	344183	5977932.9	-492.23	-453.23	-39	7.92
44/22b-8	457017.9	6005422.4	-1243.7	-1212.39	-31.35	2.52
47/15-1	362033.2	5942918.3	-863.47	-836.34	-27.13	3.14
49/20b-3	492064.1	5911546.4	-2125.7	-2114.71	-10.95	0.52
49/19-1	483743.2	5910978.8	-925.5	-920.1	-5.4	0.58
44/26c-6	435582.1	5984993.2	-1392.2	-1396.25	4.05	0.29
42/26-1	310288	5993965.6	-729.04	-733.35	4.31	0.59
48/25-1	428854.4	5904578.6	-78.36	-78.89	0.54	0.69
48/11-1	376781.8	5935720.2	-792.15	-786.55	-5.61	0.71
42/27a-1	318875.6	5991923.3	-610.1	-594.01	-16.1	2.64
48/17a-9	390430.4	5918848.1	-113.54	-134.78	21.25	18.72
41/5-1	298036.4	6083043.7	-89.41	-85.07	-4.34	4.85
49/20b-4	496288.4	5910184.7	-1500.3	-1403.29	-97.05	6.47
44/18-1	469402.4	6033512.3	-1744.3	-1773.44	29.11	1.67
53/1b-12	439004.8	5861160.7	-338.1	-311.18	-26.93	7.97
Well 1	327096.7	5998006.6	-479.85	-465.61	-14.23	2.97
43/17-2	392107.2	6027462.4	-535.65	-520.77	-14.88	2.78
44/21-1	443617.6	6004238.9	-1091.2	-1093.21	2.01	0.18
50/21-1	501395.2	5905415.7	-1067.6	-973.63	-93.93	8.80
48/23-2	405931.9	5896277.7	-19.7	-20.08	0.38	1.93
49/25a-5	491337.2	5898385	-1738.5	-1624.35	-114.12	6.56
49/17-4	448129.5	5926813.5	-235.83	-250.45	14.62	6.20
49/14a-2	479968.5	5929257.9	-2263.8	-2298.31	34.57	1.53
48/6-10	371820.1	5955995.5	-32.68	-30.15	-2.53	7.74
48/12b-03	382955.5	5944205	-24.8	-23.72	-1.08	4.35
49/24- 2	482361.7	5904148.1	-1724.7	-1770.99	46.31	2.69
49/19-3	476808	5915906.8	-1201.3	-1216.84	15.59	1.30
49/19-7	481251	5919670.2	-1880.3	-1852.95	-27.31	1.45
53/2-2	453930.1	5871041.5	-273.89	-267.59	-6.3	2.30
44/19-2	476239.2	6036566.3	-1211.1	-1215.2	4.09	0.34
49/26- 2	442478.5	5887510.7	-99.53	-82.7	-16.83	16.91
47/3-1	340191.2	5979643.4	-746.6	-726.41	-20.19	2.70
44/22-5	458036.6	6010075.1	-1226.6	-1182.15	-44.49	3.63
49/8-1	462643.2	5950556	-807.38	-641.71	-165.68	20.52
42/28a-6	333785.9	6004275.4	-197.92	-223.24	25.32	12.79

48/30-6	421598.4	5879653.4	-38.31	-38.87	0.56	1.46
44/14-1	478467.8	6051141.8	-1473.8	-1452.43	-21.4	1.45
44/17-1	457026.6	6025388.1	-1178.6	-1036.42	-142.16	12.06
42/29-2	350726.1	5991347.2	-499.39	-468.26	-31.12	6.23
48/30-1	424725.3	5876595.5	-36.4	-36.97	0.58	1.59
49/2-3	459793.1	5973176.5	-827.49	-830.28	2.79	0.34
48/2b-3	390947.6	5976523.5	-86.82	-38.78	-48.03	
48/20-1	425101.3	5926539	-24.07	-23.62	-0.45	1.87
48/7-1	382510.7	5955569.9	-28.33	-30.37	2.04	7.20
43/24-2	415670.3	6015966.6	-814.52	-944.98	130.46	16.02
49/9-1	482839.3	5955000	-2034.4	-1989.42	-44.94	2.21
49/24-12	480190.2	5893136.8	-1419.6	-1464.09	44.53	3.14
49/16-5	435705.4	5923981.1	-705.33	-690.45	-14.89	2.11
44/21a-5	436893.9	6011468.9	-1046.1	-1048.69	2.6	0.25
48/14-2	418479.9	5939541.7	-25.53	-25.61	0.07	0.27
Surface: Base Jurassic						
Well	X-value	Y-value	Z-value	After Conversion	Residual (m)	
44/28-3	470491.7	5999741.9	-1709.4	-1596.18	-113.24	6.62
44/27-1	451986.2	5988973.8	-2105.3	-2104.14	-1.12	0.05
48/3-2	407688.5	5968508.6	-995.37	-968.44	-26.93	2.71
42/28b-5	339614	5998922	-670.6	-626.83	-43.77	6.53
49/16-6	445369.2	5927040.4	-650.54	-705.51	54.97	8.45
48/11-2	373768.6	5931705.6	-1369.4	-1368.87	-0.52	0.04
49/20-2	497802.6	5923013.9	-1891.9	-1851.07	-40.77	2.16
44/27-2	456074.3	5991560.4	-2070.6	-2089.61	19.03	0.92
42/30-4A	366289.9	5994387.8	-820.52	-816.59	-3.93	0.48
47/4a-7	344199.8	5977927.3	-1364.8	-1418.49	53.74	3.94
44/22b-8	457017.9	6005422.4	-1243.7	-1212.4	-31.35	2.52
47/15-1	362035.4	5942923.1	-1532.6	-1527.63	-4.98	0.32
49/20b-3	492064.1	5911546.4	-2125.7	-2114.73	-10.93	0.51
49/19-1	483743.2	5910978.8	-925.5	-920.1	-5.39	0.58
44/26c-6	435582.1	5984993.2	-1392.2	-1396.2	4	0.29
42/26-1	310275.6	5993960.8	-1380.5	-1287.16	-93.33	6.76
48/25-1	428854.4	5904578.6	-157.01	-198.87	41.86	26.66
48/11-1	376790.7	5935711.8	-1628.7	-1650.42	21.71	1.33
42/27a-1	318870.7	5991934.9	-1079.9	-1066.25	-13.62	1.26
48/17a-9	390421.4	5918826.8	-1182.7	-1166.29	-16.42	1.39
41/5-1	298036.4	6083043.7	-89.41	-85.07	-4.34	4.85
49/20b-4	496288.4	5910184.7	-1500.3	-1403.33	-97.01	6.47
44/18-1	469402.4	6033512.3	-1744.3	-1972.12	227.79	13.06
53/1b-12	439013.4	5861170.7	-1259.2	-1263.16	3.98	0.32
Well 1	327096.7	5998006.6	-2091	-1209.93	-881.11	42.14
43/17-2	392105	6027454.6	-1133.6	-1139.02	5.42	0.48
44/21-1	443617.6	6004238.9	-1094.8	-1093.22	-1.53	0.14

50/21-1	501395.2	5905415.7	-1067.6	-973.71	-93.85	8.79
48/23-2	405931.9	5896277.7	-846.82	-762.7	-84.12	9.93
49/25a-5	491337.2	5898385	-1738.5	-1624.33	-114.15	6.57
49/17-4	448129.1	5926812.3	-599.3	-591	-8.3	1.38
48-11b-5	376350	5931043	-1426.1	-1404.5	-21.58	1.51
49/14a-2	479968.5	5929257.9	-2263.8	-2298.21	34.46	1.52
48/6-10	371827.8	5956006.5	-879.53	-1061.59	182.07	20.70
48/12b-03	382958.5	5944221.7	-837.21	-847.67	10.45	1.25
49/24- 2	482361.7	5904148.1	-1724.7	-1771.04	46.36	2.69
49/19-3	476808	5915906.8	-1201.3	-1217.15	15.9	1.32
49/19-7	481251	5919670.2	-1880.3	-1852.96	-27.3	1.45
53/2-2	453930.1	5871041	-349.5	-349.42	-0.08	0.02
44/19-2	476239.2	6036566.3	-1211.1	-1215.2	4.09	0.34
49/26- 2	442478.8	5887510	-161.25	-82.74	-78.5	48.68
47/3-1	340183.2	5979618.5	-1376.6	-1387.77	11.14	0.81
44/22-5	458036.6	6010075.1	-1226.6	-1182.15	-44.49	3.63
48/30-6	421594.3	5879654.4	-1038.9	-772.73	-266.16	25.62
44/14-1	478467.8	6051141.8	-1473.8	-1452.47	-21.36	1.45
44/17-1	457026.6	6025388.1	-1178.6	-1139.74	-38.83	3.29
42/29-2	350726.1	5991347.2	-656.08	-677.2	21.12	3.22
48/30-1	424727.3	5876590.4	-688.09	-622	-66.09	9.60
49/2-3	459793.1	5973176.5	-827.49	-830.34	2.85	0.34
48/2b-3	390945.2	5976562.2	-578.42	-703.76	125.35	21.67
48/20-1	425101.3	5926539	-568.8	-579.43	10.62	1.87
48/7-1	382510.8	5955570.2	-363.14	-375.06	11.92	3.28
43/24-2	415675	6015963.6	-1236.8	-1436.6	199.82	16.16
49/9-1	482839.3	5955000	-2034.4	-1989.49	-44.87	2.21
49/24-12	480190.2	5893136.8	-1419.6	-1464.12	44.55	3.14
49/16-5	435705.4	5923981.1	-1253	-1252.86	-0.12	0.01
44/21a-5	436893.4	6011468	-1116.6	-1092.4	-24.17	2.16
48/14-2	418479.9	5939541.7	-941.52	-960.7	19.18	2.04
Top Zechstein						
Well	X-value	Y-value	Z-value	After Conversion	Residual (m)	
44/28-3	470506.1	5999757.8	-2472.2	-2368.81	-103.34	4.18
44/27-1	451929.4	5989004.6	-2955	-2981.68	26.72	0.90
49/17-9	451578.2	5920292.7	-2311.6	-2128.57	-183.02	7.92
42/28b-5	339615.9	5998922.7	-831.89	-680.4	-151.49	18.21
49/16-6	445369.2	5927040.4	-2148.1	-2142.16	-5.94	0.28
48/11-2	373767.5	5931703.4	-2182.8	-2184.53	1.77	0.08
49/20-2	497693.5	5922940.7	-2141.2	-2129.03	-12.15	0.57
44/27-2	456013	5991617	-2914.2	-2937.65	23.47	0.81
42/30-4A	366300.1	5994406.9	-2144.4	-2023.53	-120.86	5.64
47/4a-7	344202.1	5977927.1	-1529.9	-1605.58	75.66	
44/22b-8	457010.6	6005423.9	-2327.3	-2333.98	6.69	0.29

47/15-1	362034.4	5942921.8	-2170.8	-2152.88	-17.95	0.83
49/20b-3	492064.3	5911547.5	-2169.2	-2137.47	-31.68	1.46
49/19-1	483733.8	5911001.4	-1401.9	-1394.61	-7.32	0.52
44/26c-6	435571.7	5984988	-2386.8	-2399.24	12.41	0.52
48/19A- 4	419679.9	5920309.8	-1707.3	-1633.33	-74	4.33
42/26-1	310277.2	5993949.2	-2118.3	-2082.05	-36.21	1.71
48/25-1	428854.4	5904578.6	-1710.9	-1717.66	6.74	0.39
48/11-1	376791.5	5935716.6	-2452.4	-2353.94	-98.49	4.02
42/27a-1	318869.3	5991907.5	-2269.7	-2334.27	64.57	2.84
48/17a-9	390463.3	5918765.7	-2126.2	-1995.76	-130.4	6.13
41/5-1	298042.4	6083030	-1154.8	-1158.9	4.09	0.35
49/20b-4	496304.8	5910199.8	-1866.2	-1720.74	-145.5	7.80
48/1-2A	375329.9	5977377.1	-764.31	-766.31	2	0.26
44/18-1	469422.2	6033512.3	-3307.8	-3313.26	5.45	0.16
48/10b-10	428343.4	5953047	-379.17	-365.69	-13.48	3.56
48/03-1	396253.7	5971771.3	-274.04	Outside		0.00
Well 1	327096.7	5998006.6	-2565	-2641.23	76.24	2.97
43/17-2	392067.2	6027401.4	-2383	-2393.39	10.36	0.43
44/21-1	443617.6	6004238.9	-2108.4	-2135.74	27.3	1.29
50/21-1	501407.8	5905393	-1650.7	-1632.91	-17.8	1.08
48/23-2	405931.9	5896277.7	-1733.6	-1849.7	116.06	6.69
49/25a-5	491337.2	5898385	-2126.1	-2019.11	-106.95	
49/17-4	448126.7	5926816.8	-1964.1	-1998.46	34.38	1.75
43/28a-3	395653.1	5998919.2	-788.01	Outside		0.00
48-11b-5	376350	5931043	-1769.1	-1950.27	181.15	10.24
49/14a-2	479942.4	5929253.4	-2718.6	-2699.9	-18.72	0.69
48/6-10	371849	5956023.4	-2597.7	-2505.34	-92.38	3.56
48/12b-03	382993.9	5944316.6	-2249.6	-2262.56	12.99	0.58
49/24- 2	482361.7	5904148.1	-2149.8	-2183.21	33.41	1.55
48/17-1	385216.1	5914873.6	-1943.2	Outside		0.00
49/19-3	476810	5915927.3	-1915	-1943.37	28.33	1.48
49/19-7	481251	5919670.2	-2218.5	-2095.71	-122.77	5.53
53/2-2	453266.2	5870772	-1706.7	-1666.37	-40.35	2.36
44/19-2	476247.7	6036557.8	-2142.7	-2199.45	56.76	2.65
49/26- 2	442485.4	5887488	-1525.8	-1511.76	-13.99	0.92
47/3-1	340177.9	5979634.6	-2709.8	-2713.04	3.24	0.12
44/22-5	458030.7	6010064.1	-2393.5	-2385.16	-8.31	0.35
49/8-1	462643.2	5950556	-1436.2	-1395.59	-40.62	2.83
48/30-6	421597.9	5879647.3	-1500.3	-1563.39	63.13	4.21
44/14-1	478480.8	6051148.7	-2055	-2039.51	-15.52	0.76
44/17-1	457038.5	6025397.7	-2428.6	-2465.07	36.49	1.50
42/29-2	350726.1	5991347.2	-1620.5	-1542.29	-78.24	4.83
43/23-2	407628.4	6019956.5	-2732.9	-2878.15	145.24	5.31
48/30-1	424711.1	5876601.4	-1488	-1543.3	55.26	3.71
49/2-3	459774.3	5973206.9	-1493.5	-1472.26	-21.23	1.42

49/7a-1	451530	5950031	-1989.4	-2376.05	386.62	19.43
48/2b-3	390946.6	5976593.2	-789.93	-1050.3	260.37	32.96
48/20-1	425101.3	5926539	-2094.9	-2023.93	-70.93	
50/16-1	501208.5	5914814.7	-2242.6	-2134.39	-108.24	4.83
48/7-1	382510.5	5955569.7	-1778.9	-1819.97	41.11	2.31
49/5-5	492694.8	5969767.3	-2182.7	-1977.74	-204.92	9.39
43/24-2	415692.3	6015948.4	-2541.9	-2780.66	238.81	9.40
49/9-1	482833.9	5954994.3	-2246.2	-2201.39	-44.78	1.99
49/24-12	480190.2	5893136.8	-2188.2	-2195.25	7.04	0.32
49/16-5	435705.4	5923981.1	-1951	-1920.32	-30.64	1.57
44/21a-5	436871.4	6011429.4	-2343.7	-2359.15	15.47	0.66
48/14-2	418479.9	5939541.7	-2387.4	-2377.1	-10.33	0.43
Surface: Base Zechstein						
Well	X-value	Y-value	Z-value	After Conversion	Residual (m)	
44/28-3	470516.2	5999767.8	-3296.8	-3206.58	-90.25	2.74
44/27-1	451865.2	5989034.1	-3780.5	-3747.68	-32.81	0.87
49/17-9	451578.2	5920292.7	-2976.3	-2868.85	-107.41	3.61
42/28b-5	339513.4	5998879.3	-2473	-2414.85	-58.14	2.35
49/16-6	445369.2	5927040.4	-2819.2	-2814.09	-5.1	0.18
48/11-2	373776.9	5931712.9	-2792.5	-2691.4	-101.07	3.62
49/20-2	497446.6	5922729.1	-2671.5	-2629.35	-42.11	1.58
44/27-2	455967.1	5991679.1	-3855	-3809.15	-45.89	1.19
42/30-4A	366316.2	5994414.5	-2927.5	-2777.51	-150.02	5.12
47/4a-7	344190	5977868.9	-3081.7	-3120.48	38.78	1.26
44/22b-8	457014.4	6005442	-3515.4	-3524.7	9.3	0.26
47/15-1	362031	5942926.2	-2799.2	-2740.95	-58.2	2.08
49/20b-3	492065.8	5911552.8	-2294.4	-2270.77	-23.65	1.03
49/19-1	483698.7	5911050.4	-2417.3	-2465.15	47.86	1.98
44/26c-6	435565.2	5984978	-3731.5	-3721.44	-10.07	0.27
48/19A- 4	419679.9	5920309.8	-2518.1	-2442.08	-76.01	3.02
42/26-1	310306.5	5993981.1	-2724.1	-2645.23	-78.89	2.90
48/25-1	428854.4	5904578.6	-2405.2	-2354.83	-50.35	2.09
48/11-1	376796.6	5935727.2	-2785.8	-2774.72	-11.05	0.40
42/27a-1	318876	5991869.6	-2896.6	-2901.16	4.59	0.16
48/17a-9	390512.6	5918767.6	-2533.1	-2377.81	-155.26	6.13
41/5-1	298053.7	6083018.8	-1859	-1863.74	4.7	0.25
49/20b-4	496306.6	5910201.4	-1947.7	-1915.86	-31.85	1.64
48/1-2A	375329.9	5977377.1	-3146.8	-3757.92	611.13	19.42
44/18-1	469426.5	6033515	-3543.1	-3530.87	-12.27	0.35
48/10b-10	428343.4	5953047	-3228.5	-3211.57	-16.94	0.52
48/03-1	396253.7	5971771.3	-3347.3	Outside		
49/1-1	442243	5970031.6	-3484.2	-3585.22	101.03	2.90
Well 1	327096.7	5998006.6	-2999.7	-2941.01	-58.71	1.96
43/17-2	392054	6027381.5	-2818.6	-2814.71	-3.9	0.14

44/21-1	443617.6	6004238.9	-3836.2	-3840.9	4.74	0.12
50/21-1	501428.8	5905368.3	-2204.7	-2256.11	51.45	2.33
48/23-2	405931.9	5896277.7	-2127.3	-2053.7	-73.56	3.46
49/25a-5	491337.2	5898385	-2480.8	-2391.74	-89.09	3.59
49/17-4	448142.3	5926806.7	-2761	-2737.03	-23.93	0.87
43/28a-3	395653.1	5998919.2	-3345.7	Outside		
49/14a-2	479933.1	5929264.2	-2966.8	-2984.29	17.49	0.59
48/6-10	371858.4	5956031.2	-2848.8	-2703.12	-145.71	5.11
48/12b-03	382998.2	5944336.2	-3033.6	-3026.56	-6.99	0.23
49/24- 2	482361.7	5904148.1	-2612.2	-2603.78	-8.43	0.32
48/17-1	385216.1	5914873.6	-2453.8	Outside		
49/19-3	476801.8	5915954.8	-2388.3	-2381.29	-7.05	0.30
49/19-7	481251	5919670.2	-2437.2	-2465.58	28.42	1.17
53/2-2	453189.6	5870711.8	-2074.7	-2032.8	-41.92	2.02
49/26- 2	442487.3	5887478.2	-1988.9	-1914.3	-74.56	3.75
47/3-1	340173.5	5979629.4	-3152.3	-3147.39	-4.87	0.15
44/22-5	458040	6010029.1	-3284.4	-3278.9	-5.53	0.17
49/8-1	462643.2	5950556	-3496.5	-3470.82	-25.64	0.73
48/30-6	421597.9	5879649.6	-1770.7	-1790.72	20.02	1.13
44/14-1	478816.6	6051328.7	-3340.1	-3345.97	5.91	0.18
42/29-2	350726.1	5991347.2	-2709	-2651.62	-57.34	2.12
43/23-2	407628.4	6019956.5	-3050	-3162.49	112.54	3.69
49/2-3	459814.7	5973287.1	-3581.3	-3608.56	27.24	0.76
49/7a-1	451550.4	5949991.7	-3447.1	-3517.17	70.04	2.03
48/2b-3	390890.2	5976941.8	-3011.5	-2901.9	-109.6	3.64
48/20-1	425101.3	5926539	-2458.8	-2360.14	-98.68	4.01
50/16-1	501208.5	5914814.7	-2350.3	-2429.6	79.28	3.37
48/7-1	382511.2	5955570	-2895.1	-2896.68	1.6	0.06
49/5-5	492708.2	5969784.6	-3306.6	-3132	-174.64	5.28
43/24-2	415708.2	6015933.9	-3118	-3314.44	196.47	6.30
49/9-1	482799.2	5954978.4	-3235.1	-3191.51	-43.55	1.35
49/24-12	480190.2	5893136.8	-2699.5	-2668.42	-31.11	1.15
49/16-5	435705.4	5923981.1	-2622.1	-2498.52	-123.57	4.71
44/21a-5	436876.5	6011408.7	-3527.3	-3538.54	11.22	0.32
48/14-2	418479.9	5939541.7	-2575.2	-2545.1	-30.09	1.17
44/21a-5	436876.5	6011408.7	-3527.3	-3535.62	8.29	0.24
48/14-2	418479.9	5939541.7	-2575.2	-2544.63	-30.56	1.19
49/16-5	435705.4	5923981.1	-2622.1	-2494.89	-127.2	4.85
44/21a-5	436876.5	6011408.7	-3527.3	-3535.65	8.33	0.24
48/14-2	418479.9	5939541.7	-2575.2	-2544.64	-30.56	1.19
49/9-1	482799.2	5954978.4	-3268.6	-3226.42	-42.13	1.29
49/24-12	480190.2	5893136.8	-2699.5	-2665.68	-33.85	1.25
49/16-5	435705.4	5923981.1	-2622.1	-2492.91	-129.19	4.93
44/21a-5	436876.5	6011408.7	-3527.3	-3534.67	7.35	0.21
48/14-2	418479.9	5939541.7	-2575.2	-2545	-30.2	1.17

